

Stainless Press Coupling

F x F 45° Elbow

MSP11



Features and Benefits

- Suitable for Potable water, Cooling systems, Industrial applications
- High grade Stainless Steel is extremely durable and corrosion resistant
- Blue plastic film which will fall off when crimped for easy identification of pressed joint
- Dust covers
- 30 Year Warranty

Material Specifications

Description	Materials
Body	316L Stainless Steel
Crimp indicator film	PVC, Blue
O-Ring	EPDM
Dust Cap	PE

Product Codes and Dimensions

STOCK NO.	d (mm)	L (mm)	Z (mm)
29346	15	32	12
29347	22	38	18
29348	28	42	22
29349	35	52	28
29350	42	60	30
29351	54	72	37
29353	76	102	49
29354	89	115	55
29355	108	142	67

Technical Data

- Operating temperature -20°C ~ +120°C
- 316L Stainless Steel fitting
- EPDM Sealing ring
- "M" Profile Press Jaws or slings
- Approved tools include Novapress, REMS, Rothenberger and Ridgid
- Max Working Pressure
 - 15 – 28mm : 40 bar
 - 35 – 54mm : 25 bar
 - 76 – 108mm : 16 bar

Applicable Standards

- WRAS Approved
- 316L grade stainless steel fitting
- DVGW-W534

